

Oscor[®] Inc. – an Integer Company

Adelante[®] Radial


Hydrophilic Coated Hemostatic Valve Introducer

The Adelante Radial[®] is a proprietary hydrophilic coated introducer sheath system optimized for radial access, featuring the latest in hemostatic valve technology for minimal blood loss during guidewire manipulation, diagnostic angiography and percutaneous coronary intervention. The Adelante Radial features a low profile kink-resistant and hydrophilic coated sheath for smooth atraumatic insertion and removal of the device. The Adelante Radial represents the latest and newest in low profile introducer sheath technology.

FEATURES

- Low profile and kink resistant hydrophilic coated sheath for insertion and sheath manipulation
- Designed for smooth insertion
- High performance fluid-activated EnSilk[™] hydrophilic coated sheath technology to facilitate sheath insertion and atraumatic access
- SureSeal[™] hemostatic valve technology to minimize air embolism and blood loss even under extreme conditions





French size and guidewire indicator

Hemostatic seal

Snap-locking dilator connector

Kink resistant, flexible, and hydrophobic coated sheath


Smooth dilator to sheath transition

Smooth dilator to guidewire transition

Color coded side port and 3-way stopcock


Radial – Starter Set:

- (1) Sheath
- (1) Dilator



Radial – Wire Kit:

- (1) Sheath
- (1) Dilator
- (1) Stainless Steel 0.018" (0.46 mm) x 45 cm Guidewire





Radial – SS Kit:

- (1) Sheath
- (1) Dilator
- (1) Stainless Steel 0.018" (0.46 mm) x 45 cm Guidewire
- (1) 21G (0.83 mm) x 4 cm Needle with protector
- (1) 10 cc Syringe

Spring wire

Round core wire



ORDERING INFORMATION

Model #	French Size	Sheath Length	Dilator Length	Guidewire Specs	Needle Specs	Syringe Specs
STARTER SET (Ten per box)						
SHORT						
ASR04007P	● 4 F	7 cm	12 cm	N/A	N/A	N/A
ASR05007P	● 5 F	7 cm	12 cm	N/A	N/A	N/A
ASR06007P	● 6 F	7 cm	12 cm	N/A	N/A	N/A
STANDARD						
ASR04010P	● 4 F	10 cm	15 cm	N/A	N/A	N/A
ASR05010P	● 5 F	10 cm	15 cm	N/A	N/A	N/A
ASR06010P	● 6 F	10 cm	15 cm	N/A	N/A	N/A
LONG						
ASR04025P	● 4 F	25 cm	30 cm	N/A	N/A	N/A
ASR05025P	● 5 F	25 cm	30 cm	N/A	N/A	N/A
ASR06025P	● 6 F	25 cm	30 cm	N/A	N/A	N/A
Wire Kit (Five per box)						
SHORT						
ASR0400718B5	● 4 F	7 cm	12 cm	0.018" (0.46 mm) x 45 cm	N/A	N/A
ASR0500718B5	● 5 F	7 cm	12 cm	0.018" (0.46 mm) x 45 cm	N/A	N/A
ASR0600718B5	● 6 F	7 cm	12 cm	0.018" (0.46 mm) x 45 cm	N/A	N/A
STANDARD						
ASR0401018B5	● 4 F	10 cm	15 cm	0.018" (0.46 mm) x 80 cm	N/A	N/A
ASR0501018B5	● 5 F	10 cm	15 cm	0.018" (0.46 mm) x 80 cm	N/A	N/A
ASR0601018B5	● 6 F	10 cm	15 cm	0.018" (0.46 mm) x 80 cm	N/A	N/A
LONG						
ASR0402518B5	● 4 F	25 cm	30 cm	0.018" (0.46 mm) x 80 cm	N/A	N/A
ASR0502518B5	● 5 F	25 cm	30 cm	0.018" (0.46 mm) x 80 cm	N/A	N/A
ASR0602518B5	● 6 F	25 cm	30 cm	0.018" (0.46 mm) x 80 cm	N/A	N/A
SS Kit (Five per box)						
SHORT						
ASR04007B5	● 4 F	7 cm	12 cm	0.018" (0.46 mm) x 45 cm	21G (0.83 mm) x 4 cm	10 cc
ASR05007B5	● 5 F	7 cm	12 cm	0.018" (0.46 mm) x 45 cm	21G (0.83 mm) x 4 cm	10 cc
ASR06007B5	● 6 F	7 cm	12 cm	0.018" (0.46 mm) x 45 cm	21G (0.83 mm) x 4 cm	10 cc
STANDARD						
ASR04010B5	● 4 F	10 cm	15 cm	0.018" (0.46 mm) x 80 cm	21G (0.83 mm) x 4 cm	10 cc
ASR05010B5	● 5 F	10 cm	15 cm	0.018" (0.46 mm) x 80 cm	21G (0.83 mm) x 4 cm	10 cc
ASR06010B5	● 6 F	10 cm	15 cm	0.018" (0.46 mm) x 80 cm	21G (0.83 mm) x 4 cm	10 cc
LONG						
ASR04025B5	● 4 F	25 cm	30 cm	0.018" (0.46 mm) x 80 cm	21G (0.83 mm) x 4 cm	10 cc
ASR05025B5	● 5 F	25 cm	30 cm	0.018" (0.46 mm) x 80 cm	21G (0.83 mm) x 4 cm	10 cc
ASR06025B5	● 6 F	25 cm	30 cm	0.018" (0.46 mm) x 80 cm	21G (0.83 mm) x 4 cm	10 cc

Introducers supplied sterile. For single use only. Available bulk upon request. Standard lengths are noted above. Other lengths available upon request. Products not available in all regions.

Caution: Federal Law restricts this device to sale by or on the order of a physician (U.S.A.). Please refer to the Instructions for Use for a complete listing of the indications, contraindications, precautions and warnings, where applicable.



Integer | Corporate Headquarters
 5830 Granite Parkway, Suite 1150
 Plano, TX 75024
 CV-Solutions@Integer.net | Integer.net

Manufactured by Oscor Inc. – An Integer Company
 Toll Free: 1-800-726-7267
 P: +1 727-937-2511
 DL-PHB-Sales@integer.net